

# SKRÁPFLÚRA – LONG ROUGH DAB

## *Hippoglossoides platessoides*

### RÁÐGJÖF – ADVICE


Í ljósi þess að skrápflúra veiðist fyrst og fremst sem meðafli og landaður afli er mjög líttill, leggur Hafrannsóknastofnun ekki fram tillögur um hámarksafla fiskveiðíárið 2020/2021.

*Long rough dab is only caught as bycatch, and landings are very low. Therefore, MFRI does not advise a TAC for the 2020/2021 fishing year.*

### STOFNPRÓUN – STOCK DEVELOPMENT

Lífmassavísitala skrápflúru í SMB hefur lækkað umtalsvert frá árinu 2003 og hefur verið í lágmarki undanfarinn áratug. Nýliðunarvísitala var há árin 1991–1996 og aftur 2011–2015, en seinni toppurinn hefur enn ekki leitt til stækkandi stofns.

*IS-SMB biomass index has decreased since 2003 and has been low for a decade. Recruitment index was relatively high during 1991–1996 and 2011–2015, but high recruitment in the latter period has not resulted in increased stock biomass.*



**Skrápflúra.** Afl, nýliðunarvísitala ( $\leq 10$  cm) og lífmassavísitala ( $\geq 30$  cm) úr SMB. Grá svæði sýna 95% öryggismörk.

**Long rough dab.** Catches, IS-SMB juvenile ( $\leq 10$  cm) and biomass ( $\geq 30$  cm). Grey areas indicate 95% CI.

## HORFUR – PROSPECTS

Stofnvísítölur benda til að stofninn hafi minnkað hratt á árunum 2003–2008, á sama tíma og landaður afli var langt undir úthlutuðu aflamarki. Ólíklegt verður að teljast að sú minnkun sem orðið hefur sé eingöngu afleiðing veiða. Vísbendingar eru um góða nýliðun sem gæti skilað sér í veiðistofninn á næstu árum, en ljóst er að stærð hans er enn í lágmarki.

*IS-SMB survey indices indicate that the stock declined rapidly in 2003–2008, over a period where landed catch was well below the set TAC. It is therefore unlikely that the decline in the stock was solely due to fishing. Stock size is close to an all-time low, but recruitment has been high in recent years, which might lead to increase in stock size over the next few years.*

## RÁÐGJÖF, AFLAMARK OG AFLI – ADVICE, TAC AND CATCH

**Skráplífura.** Tillögur um hámarksafla, ákvörðun stjórvalda um aflamark, afli á aflamarkssvæðinu frá Snæfellsnesi suður um að Stokksnesi og heildaraflfi (tonn).

**Long rough dab.** Recommended TAC, national TAC, catch in the quota area, and total catches (tonnes).

Fiskveiðiár Fishing year	Tillaga Recommended TAC	Aflamark National TAC	Afli aflamarkssvæði Catch quota area	Afli alls Total catch
2010/11	200 <sup>1)</sup>	200	107	193
2011/12	200 <sup>1)</sup>	200	77	148
2012/13	200 <sup>1)</sup>	200	11	71
2013/14	200 <sup>1)</sup>	200	9	89
2014/15	-	-	-	50
2015/16	-	-	-	14
2016/17	-	-	-	17
2017/18	-	-	-	22
2018/19	-	-	-	29
2019/20	-	-	-	
2020/21	-	-	-	

<sup>1)</sup> Engar beinar veiðar. Aflamark sem nemi áætluðum aukafla við aðrar veiðar.

<sup>1)</sup> No directed fishery. TAC set no higher than would result from long rough dab bycatch in other fisheries.

## HEIMILDIR OG ÍTAREFNI – REFERENCES AND FURTHER READING

MFRI Assessment Reports 2020. Long rough dab. Marine and Freshwater Research Institute, 16 June 2020.